



FRAME

NATURAL CONCEPT FOR
MODERN ARCHITECTURE

 **LANDMARK**
CERAMICS


LANDMARK

NATURAL

“Natural” is a gathering of porcelain tile collections that are inspired by different natural stones. Amazing surfaces for floors and walls that recall the shades of the natural material enhancing architecture and design with character and intense elegance. The excellent technical characteristics of Landmark porcelain tile guarantees optimal performance in every intended use both residential and commercial.

A new landmark in the ceramic industry

Landmark Ceramics is an American company, based in Tennessee that has set out to research, manufacture and sell top quality porcelain ceramics in North America. Technological innovation, market presence, attention to detail, the welfare of people and the environment, efficient service and a thorough product range make Landmark a new benchmark in the North American market for those who are looking for a reliable partner for any building and architecture project using US made top quality porcelain material.




FRAME

NATURAL CONCEPT FOR
MODERN ARCHITECTURE

Frame is the porcelain collection that highlights a **strong architectural style** with balanced graphics. A contemporary color palette, earthy tone shades, from light white to warm dark gray, **reproduce the finest natural limestones**, characterized by a homogeneous texture with very slight inclusions and grains and an elegant presence of veining.



DEFINE YOUR VISION



With Frame porcelain tiles and pavers you can **focus and enhance multiple inspirations** in any kind of project, to shape your setting in **commercial** and **residential** areas, both **indoors** and **outdoors**. The essential graphic of the surfaces expresses the inspiration material through a minimalist design, to unleash creativity thanks to the highest technical performance of Landmark's porcelain.

SUSTAINABILITY



RECYCLABLE


Tiles can be recycled inside the production process when not fired yet, or once they have finished their life-cycle can be used as compact base material on the contrary many plastic base material such as vinyl cannot.

SUSTAINABILITY



ECO-FRIENDLY AND SAFE


SUSTAINABILITY



ENERGY EFFICIENT

Tile's inherent thermal mass reduces peak heating and cooling, which helps moderate temperature swings in your home.

HEALTH



NATURAL INGREDIENTS

Tile is made of clays and other naturally-occurring minerals and does not contain chemicals with potential adverse health effects (pvc, voc, formaldehyde, plastic etc...)

SAFETY/DURABILITY



SCRATCH AND DENT RESISTANT

Tile is strong, hard and resistant to most type of scratches. Tile also, being an extremely dense material, doesn't fear any denting damage, like many others flooring materials do.

SAFETY/DURABILITY



FADE AND UV RESISTANT

SUSTAINABILITY



FLOOR HEAT FRIENDLY

SUSTAINABILITY



VERY LONG SERVICE LIFE

Tile when properly installed and maintained can last for decades.

SUSTAINABILITY



COST SAVING OVER TIME


Thanks to its long service life and easy maintenance, porcelain tile is very cost effective over time when compared to flooring products that need to be replaced more frequently.

SAFETY/DURABILITY



RESISTANT TO ACID

SAFETY/DURABILITY



WATER PROOF

Tile is very compact and impervious therefore doesn't absorb. With tile you'll never have to worry about water.

SAFETY/DURABILITY



FIRE PROOF

Tile doesn't burn, melt or give off toxic fumes when exposed to fire.

HEALTH



PREVENT BACTERIA GROWTH

Tile is completely inhospitable to bacteria. That means no mold or mildew, and a healthier home for you.

HEALTH



ZERO ALLERGENES

Tile is both hard and impervious therefore inhospitable to dust mites, bacteria, fungi, mold and other irritants.


HEALTH



ZERO SMOKE DEVELOPMENT

Tile never gives off toxic fumes, even when exposed to fire.

SAFETY/DURABILITY



DOESN'T BEND

Tile is hard and compact.

SAFETY/DURABILITY



PET FRIENDLY

Tile is both dog and cat scratch proof.


SAFETY/DURABILITY



RESISTANT TO FROST

Tile is snow and ice proof.


HEALTH



ZERO FORMALDEHYDE

Formaldehyde is known to lead to an increased incidence of asthma. Tile has zero formaldehyde.

HEALTH



ZERO PVC ZERO VOC

Tile is completely PVC and VOC (volatile organic compound) free that means a healthier home for you.

HEALTH



PLASTIC FREE

Tiles are free from any PBM (Plastic Base Material) materials used in vinyl and LVT.

EASY CARE



STAIN RESISTANCE

EASY CARE



EASY TO KEEP CLEAN

VERSATILITY



FLOOR AND WALL

Tile is ideal for both floor and wall application indoor and outdoor.

COLORED BODY PORCELAIN TILE - Rectified Monocaliber


MATT FINISH

INTERNATIONAL WHITE



Available sizes

Color shading



24"x48"
MATT
± 0.35" / 9 mm

12"x24"
MATT
± 0.35"


12"x12"
MATT
MOSAIC A
± 0.35"

NEOCLASSICAL BEIGE



Available sizes

Color shading



24"x48"
MATT
± 0.35"

12"x24"
MATT
± 0.35"


12"x12"
MATT
MOSAIC A
± 0.35"

MINIMALIST GREIGE



Available sizes

Color shading



24"x48"
MATT
± 0.35"

12"x24"
MATT
± 0.35"

12"x12"
MATT
MOSAIC A
± 0.35"

RATIONALIST DARK



Available sizes

Color shading



12"x24"
MATT
± 0.35"

12"x12"
MATT
MOSAIC A
± 0.35"

EXPRESSIVE TAUPE



Available sizes

Color shading



12"x24"
MATT
± 0.35"

12"x12"
MATT
MOSAIC A
± 0.35"

The color of tiles printed in this catalog may differ from actual tiles. Tile color reproductions in this catalog are representative only. Slight tone and shade variations are inherent in porcelain tiles. Before selecting a color, we recommend that you contact your local representative, who will provide you with a sample piece of the requested tile.

This porcelain tile product is manufactured with a V2 shade variation. Remember that the amount of color as well as the texture of each piece may vary from tile to tile. Inspect the product immediately upon delivery and select tiles from many boxes during installation to minimize and blend any possible color difference.

Color Shading



UNIFORM APPEARANCE



SLIGHT VARIATION



MODERATE VARIATION



SUBSTANTIAL VARIATION

FRAME

COLORED BODY PORCELAIN TILE - Rectified Monocaliber

PORCELAIN MOSAICS

MATT FINISH



International White
Mosaic A
2"x2" - 12"x12"




Minimalist Greige
Mosaic A
2"x2" - 12"x12"




Neoclassical Beige
Mosaic A
2"x2" - 12"x12"



Expressive Taupe
Mosaic A
2"x2" - 12"x12"



Rationalist Dark
Mosaic A
2"x2" - 12"x12"



2"x2"
12"x12"
MOSAIC A
± 0.35" / 9 mm



Hexagon
Multicolor Light *
Mosaic D
3.15"x2.8" - 12"x10"



Hexagon
Multicolor Dark **
Mosaic D
3.15"x2.8" - 12"x10"




3.15"x2.8"
12"x10"
MOSAIC D
± 0.35"



Geometric
Multicolor Light *
Mosaic G
13.7"x12"



Geometric
Multicolor Dark **
Mosaic G
13.7"x12"



13.7"x12"
MOSAIC G
± 0.35"

* Matches with



International
White



Neoclassical
Beige



Expressive
Taupe

** Matches with



International
White



Minimalist
Greige



Rationalist
Dark

TRIM TILES

MATT FINISH

COORDINATED COVE BASE FROM VISION AND VISION COLOR COLLECTIONS



BULLNOSE 3"x24"



COVE BASE 6"x12"

INTERNATIONAL WHITE	●	VISION PEARL / VISION DARK / VISION COLOR STAR WHITE
MINIMALIST GREIGE	●	VISION PEARL / VISION COLOR STAR WHITE
NEOCLASSICAL BEIGE	●	VISION DOVE / VISION TAUPE / VISION COLOR STAR WHITE
EXPRESSIVE TAUPE	●	VISION TAUPE / VISION COLOR STAR WHITE
RATIONALIST DARK	●	VISION DARK / VISION COLOR STAR BLACK / VISION COLOR STAR WHITE



PROJECT

FLOOR DESIGN

Frame Neoclassical Beige Mosaic A - 12"x12"

WALL DESIGN

Frame Geometric Multicolor Light Mosaic G - 13.7"x12"

COLORED BODY PORCELAIN PAVERS - Rectified Monocaliber

MATT FINISH

INTERNATIONAL WHITE

Available sizes



24" x 24"
± 0.8" / 20 mm

Color shading



MINIMALIST GREIGE

Available sizes



24" x 24"
± 0.8"

Color shading



RECOMMENDED USE

Masterplan matt finish is recommended for indoor floors, walls, countertops, and outdoor walls in commercial and residential applications. The use of Masterplan matt finish is not recommended for outdoor floors (for that application use Grip finish or Frontier20). Landmark recommends an offset no greater than 30%, if a staggered pattern is required for tiles of 20" inches or longer. Landmark recommends the use of leveler for a proper installation.

CARE AND MAINTENANCE

Do not apply any wax or sealer to the product after installation. Regular cleaning is the best way to keep tiles looking good. Use clean, hot water (add household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth to prevent water spots. Please visit lcusa.com. For further information regarding the care and maintenance of Landmark products.

WARRANTY

Landmark guarantees that its products will meet or exceed the performance specifications set out in ANSI A137.1- 2012 and in the performance specifications section of the Landmark general catalog. For more information, please visit our website at lcusa.com.

Color Shading



V1

UNIFORM APPEARANCE



V2

SLIGHT VARIATION



V3

MODERATE VARIATION



V4

SUBSTANTIAL VARIATION

The color of tiles printed in this catalog may differ from actual tiles. Tile color reproductions in this catalog are representative only. Slight tone and shade variations are inherent in porcelain tiles. Before selecting a color, we recommend that you contact your local representative, who will provide you with a sample piece of the requested tile.

This porcelain tile product is manufactured with a V2 shade variation. Remember that the amount of color as well as the texture of each piece may vary from tile to tile. Inspect the product immediately upon delivery and select tiles from many boxes during installation to minimize and blend any possible color difference.



PROJECT

OUTDOOR FLOOR DESIGN

Frontier20 International White - 24"x24"

Frontier20 Minimalist Greige - 24"x24"

WALL DESIGN

Frame International White - 24"x48"

Frame Neoclassical Beige - 24"x48"



Landmark Ceramics - UST, Inc.

1427 N. Main Street
Mount Pleasant, TN 38474

Tel. 931.325.5700

lcusa.com

LEARN MORE ABOUT



COLORED BODY PORCELAIN TILE - Rectified Monocaliber

PHYSICAL PROPERTIES	TEST ASTM	NORTH AMERICAN STANDARD A137.1* / A137.3*	PORCELAIN TILES (REF A137.1)	PORCELAIN PAVERS FRONTIER20 (REF A137.3)
			RESULTS	RESULTS
 Water absorption *	C373	≤ 0.5%	COMPLY WITH ANSI A137.1	COMPLY WITH ANSI A137.3
 DCOF Average dynamic coefficient of friction **	ANSI A.326.3	As reported	IW - Interior, Wet	EW - Exterior, Wet
 Skid Resistance	EN 16165 (EX DIN 51097)	-	-	A+B+C
	EN 16165 (EX DIN 51130)			R11
 Resistance to freeze/thaw cycling *	C1026	As reported	RESISTANT	RESISTANT
 Resistance to thermal shock	C484	As reported	RESISTANT	RESISTANT
 Warpage (edge)	C485	Warpage ± 0.4% or ± 0.05 in	COMPLY WITH ANSI A137.1	COMPLY WITH ANSI A137.3
 Warpage (diagonal)	C485	Warpage ± 0.4% or ± 0.07 in	COMPLY WITH ANSI A137.1	COMPLY WITH ANSI A137.3
 Wedging	C502	± 0.25% or ± 0.03 in	COMPLY WITH ANSI A137.1	COMPLY WITH ANSI A137.3
 Chemical resistance	C650	As reported	UNAFFECTED	UNAFFECTED
 Resistance to stain	C1378	As reported	UNAFFECTED	UNAFFECTED
 Thickness	C499	Range: 0.04 in	COMPLY WITH ANSI A137.1	COMPLY WITH ANSI A137.3
 Breaking strength	C648	250 lbf or greater	COMPLY WITH ANSI A137.1	-
	C1050	2000 lbf	-	COMPLY WITH ANSI A137.3
 Module of Rapture	C1050	5000 psi	-	COMPLY WITH ANSI A137.3

* Average values referred to our production and related to the matt finish of the product.

** As far as values relating to the matt finish of the product and to tests carried out by certified external laboratories whose results are available upon request at Headoffice, we are willing to check the lot you are interested in purchasing.

- Be sure to use tiles belonging to the same caliber.
- Test results are available on request.
- The information provided can be subject to change. Please refer to lcusa.com for the latest, most accurate and up-to-date information.